

techsolo

Designed by Future

Techsolo B.V.
Anholtseweg 38
7091 HB Dinxperlo
Netherland

Tel.: 0031 - 315 - 657 060
Fax: 0031 - 315 - 657 068

www.techsolo.com
info@techsolo.com

TC-H600 Internet Kopfhörer / TC-H600 Internet headphone



Techsolo Europa B.V. | 2006

Produktbeschreibung 
Product description 

TC-H600

TC-H600 Internet Headphone

Internet headphone

The TC-H600 will change IP-telephony. It gives you an integrated dialing pad beneath the normal headset functions which allows you to directly dial the person you want to talk to. It is also ideal for internet cafes and call-centres, as it makes a large keyboard superfluous. Additionally the microphone can be separated from the rest, if you just want to listen to music. The ideal solution for anyone.

Technical data:

- Intergrated Dial Pad
- Headphones with 32 Ω Resistance
- sensitivity: 115dB \pm 3dB (headphone)
-58dB \pm 3dB (Microphone)
- Max. power input: 100mW
- Frequency Range: 20Hz-20kHz (headphone)
100~10,000 Hz (Microphone)
- Cable length ca. 2,3 m
- USB connector

Package contnet:

- Headset
- driver CD
- User guide

Logistic data:

measures:
packing measures: 240x160x60 mm
weight: 16,5 kg per packing unit
packing unit: 60 pcs
packing units per palette: 12 pcs

Disclaimer:

The pictures of the product can be different from the product itself. The court of law is impossible. You don't have the right to claim on anything by this data sheet. If you are using this sheet you agree to these conditions.



TC-H600 Internet Headset**Internet Headphone**

TC-H600 USB Headphone bietet eine hervorragende Audioleistung. Es ist mit weichen Ohrpolstern und einem hochwertigen Nackenbügel ausgestattet, damit Sie stundenlang Musik hören, spielen und sich mit anderen unterhalten können. Mit dem Wählpad am Kabel, können Sie einfach und schnell Telefonnummern wählen. Wenn Sie nur den Kopfhörer verwenden möchten, entfernen Sie das Microfon vom Headphone, und genießen Sie den vollen Klang.

Technische Daten:

- Frequenzbereich 20Hz – 20KHz (Kopfhörer)/ 100~10,000 Hz (Micro)
- Mit integriertem Wählpad
- Lautstärkeregler im Wählpad
- Kopfhörer mit 32 Ohm Widerstand
- Schalldruck: 115dB±3dB (Kopfhörer) -58dB±3dB (Micro)
- Max. Leistungsaufnahme 100mW
- Kabellänge ca. 2,3m
- USB Anschluss

Lieferumfang:

- Headphone
- Bedienungsanleitung
- Garantiekarte

Logistische Daten:

Abmessungen:

Abmessungen Verpackung: 240x160x60 mm

Gewicht: 11 kg pro VPE

Verpackungseinheit: 30 Stück

Verpackungseinheiten auf Palette: 14

Disclaimer:

Die Abbildungen können vom Original abweichen. Sie können durch dieses Datenblatt keinerlei Ansprüche geltend machen.

Der Rechtsweg ist ausgeschlossen. Wenn Sie dieses Datenblatt verwenden, so stimmen Sie diesen Vereinbarungen zu.

